



# INTERCONNECTS


## SERIES 335, 364, 435, 464 • 2,54 GRID (0,46 DIA. PINS), LOW PROFILE • SINGLE AND DOUBLE ROW STRIPS




**FIG. 1**



**FIG. 2**




**FIG. 3**



**FIG. 4**

- Series 335 and 435 single and double row PCB interconnects offer a 1,78 profile, the lowest available
- Series 364 and 464 single and double row PCB interconnects offer 2,16 profile above board
- Series 335 and 435 use MM #3516 pins. See page 212 for details
- Series 364 and 464 use MM #6458 pins. See page 213 for details
- Insulators are high temperature thermoplastic, suitable for all soldering operations



### ORDERING INFORMATION

<b>FIG. 1</b>	<b>Series 335...160</b> <b>Single Row 1,78 Profile Pin Header</b>										
	335-XX-1__-00-160000 Specify number of pins      01-32										
<b>FIG. 2</b>	<b>Series 435...160</b> <b>Double Row 1,78 Profile Pin Header</b>										
	435-XX-2__-00-160000 Specify number of pins      04-72										
<b>FIG. 3</b>	<b>Series 364...580</b> <b>Single Row 2,16 Profile Pin Header</b>										
	364-10-1__-00-580000 Specify number of pins      01-32										
<b>FIG. 4</b>	<b>Series 464...580</b> <b>Double Row 2,16 Profile Pin Header</b>										
	464-10-2__-00-580000 Specify number of pins      04-72										
<div style="display: flex; justify-content: space-around; align-items: center;"> <div style="border: 1px solid black; padding: 5px; background-color: #c8e6c9;">RoHS - 2 2011/65/EU</div> <div style="border: 1px solid black; border-radius: 50%; padding: 5px;">XX=Plating Code See Below</div> <div style="border: 1px solid black; border-radius: 50%; padding: 5px;">For Electrical, Mechanical &amp; Environmental Data, See page 264</div> </div>											
<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="width: 20%;">SPECIFY PLATING CODE XX=</th> <th style="width: 15%;">10 <span style="color: green;">◆</span></th> <th style="width: 15%;">90</th> <th style="width: 15%;">40 <span style="color: green;">◆</span></th> <th style="width: 35%;"></th> </tr> </thead> <tbody> <tr> <td>Pin Plating </td> <td>0,25µm Au</td> <td>5,08µm Sn/Pb</td> <td>5,08µm Sn</td> <td></td> </tr> </tbody> </table>		SPECIFY PLATING CODE XX=	10 <span style="color: green;">◆</span>	90	40 <span style="color: green;">◆</span>		Pin Plating	0,25µm Au	5,08µm Sn/Pb	5,08µm Sn	
SPECIFY PLATING CODE XX=	10 <span style="color: green;">◆</span>	90	40 <span style="color: green;">◆</span>								
Pin Plating	0,25µm Au	5,08µm Sn/Pb	5,08µm Sn								