











MALE PCB PINS

PRINTED CIRCUIT PINS • NAIL HEAD TYPE

<p>5062 5062-0-00-XX-00-00-33-0 Solder mount in 0,74 mounting hole</p> 	<p>8451 8451-0-00-XX-00-00-33-0 Solder mount in 0,74 mounting hole</p> 	<p>6477 6477-0-00-XX-00-00-38-0 Solder mount in 0,86 mounting hole</p> 	<p>4477 4477-0-00-XX-00-00-33-0 Solder mount in 0,86 mounting hole</p> 						
<p>4268 4268-0-00-XX-00-00-33-0 Solder mount in 0,99 mounting hole</p> 	<p>9086 9086-0-00-XX-00-00-33-0 Solder mount in 1,02 mounting hole</p> 	<p>8330 8330-0-00-XX-00-00-38-0 Solder mount in 1,12 mounting hole</p> 	<p>9228 9228-0-00-XX-00-00-38-0 Solder mount in 1,12 mounting hole</p> 						
<p>6095 6095-X-00-XX-00-00-38-0 Solder mount in 1,12 mounting hole</p> 	<table border="1"> <thead> <tr> <th>Basic Part Number</th> <th>Length L</th> </tr> </thead> <tbody> <tr> <td>6095-0</td> <td>14,73</td> </tr> <tr> <td>6095-1</td> <td>12,07</td> </tr> </tbody> </table>	Basic Part Number	Length L	6095-0	14,73	6095-1	12,07	<p>6092 6092-0-00-XX-00-00-33-0 Solder mount in 1,12 mounting hole</p> 	
Basic Part Number	Length L								
6095-0	14,73								
6095-1	12,07								

SPECIFICATIONS:

Pin Material: Brass Alloy 360, 1/2 Hard
(Except where noted)

Dimensions: Millimeters

Tolerances On: Lengths: $\pm 0,13$
Diameters: $\pm 0,051$
Angles: $\pm 2^\circ$



ORDER CODE: XXXX - X - 00 - XX - 00 - 00 - XX - 0

BASIC PART # \swarrow

SPECIFY PIN FINISH:

- 01 5,08 μ m TIN/LEAD OVER NICKEL
- ◆ 80 5,08 μ m TIN OVER NICKEL (RoHS)
- ◆ 15 0,25 μ m GOLD OVER NICKEL (RoHS)
- ◆ 21 0,51 μ m GOLD OVER NICKEL (RoHS)
- ◆ 34 1,27 μ m GOLD OVER NICKEL (RoHS)

